

acc. to OSHA HCS

**Revision Number 3** 

Page 1/9

Ariticle Number 114

Revision Date 02/27/2015

## Section 1. Identification

**Product identifier:** Solvent

• Trade name: RPI Membrane Cleaner

• Relevant identified uses of the substance or mixture: Construction

- Details of the supplier of the safety data sheet
  - *Manufacturer/Supplier: Roofing Products International, Inc. 57460 Dewitt St. Elkhart, IN 46517-1078*

• Information department: Technical Services Department

Emergency telephone number

ChemTrec: UNITED STATES 1(800)424-9300 INTERNATIONAL 703-527-3887

## Section 2. Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

• Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

## Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms* 



Signal word: Danger

### Hazard statements

Highly flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. May cause damage to organs through a single exposure. May be fatal if swallowed and enters airways.

## **Precautionary statements**

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Wear protective gloves and eye safetly glasses. Keep away from heat/sparks/open flames. Do not smoke when handling or using material. Do not use in areas without proper ventilation. While using product, keep container tightly closed. (Contd. on page 2)


acc. to OSHA HCS Revision Number 3

Revision Date 02/27/2015

## Ariticle Number 114

Tradename: RPI Membrane Cleaner

(Contd. of page 1)



Remove victim to area off fresh air and seek medical attention. Supply fresh air. If required, provide artificial respiration. If breathing is difficult, give oxygen. Consult doctor if symptoms persist. Call a doctor immediately.

 Afterskin contact: Remove contaminated clothing and immediately wash affected area with soap and water. Rinse affected area with clean water for 15 minutes. Wash clothing before reuse. Contact a physician.
 After eye contact:

Rinse opened eye for several minutes under clean running water. Contact a physician.

• After swallowing:

Seek medical treatment immediately. Call a poison center or physician. Remove any dentures. Wash out mouth with clean water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Aspiration hazard if swallowed, product can enter lungs and cause damage. Do Not Induce Vomiting. If vomiting occurs the head should be kept low to prevent vomit from entering lungs.

If unconscious, place in recovery position and get immediate medical attention. Do not give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing to provide unrestricted breathing.

(Contd. on page 3)

Page 2/9

acc. to OSHA HCS

Ariticle Number 114

Revision Number 3

Tradename: RPI Membrane Cleaner

(Contd. of page 2)

• Eye Contact: Causes seriou	s eve iniurv.
• Inhalation:	
Harmful if inh	aled. Can cause central nervous system depression. May cause drowsiness and dizziness.
• Skin Contact:	
Causes skin ir	ritation.
• Ingestion:	
	ntral nervous system (CNS) depression. May be fatal if swallowed and enters airways. Nouth, throat, and stomach.
	signs and symptoms
• Eye Contact	
Adverse symp	otoms may include the following:
	tion. Redness and watering of the eyes.
• Inhalation	tomo men in chi do the Collections
	<b>ntoms may include the following:</b> miting, headache with drowsiness or fatigue.
Skin Contact	nning, neudache with drowsiness of juligue.
	toms include the following:
Irritation and	
• Ingestion	
	toms may include the following:
Nausea and/o	r vomiting.
Indication of a	ny immediate medical attention and special treatment needed
Information for	
If ingested, th	is material presents a significant aspiration and chemial pneumonitis hazard. Induction of emesis
	nended. Consider activated charcoal and/or gastric lavage. If patient is obtunded, protect the
	fed endotracheal intubation or by placement of the body in a Trendelenburg and left lateral
decubitus pos	
• Specific treat	
	natically and supportively.
• Protection of	
	<i>ll be taken involving any personal risk or without suitable training. If it is suspected that gas or</i>
	present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It
may be aange	rous to the person providing aid to give mouth to mouth resuscitation.

## Extinguishing media

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water and water with full jet

## Advice for firefighters

\*

• **Protectiveequipment:** Mouth respiratory protective device. Protective clothing and respiratory protective device.

## Section 6. Accidental release measures

**Personal precautions, equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

acc. to OSHA HCS

Revision Date 02/27/2015

Ariticle Number 114

Revision Number 3

Tradename: RPI Membrane Cleaner

Page 4/9

## (Contd. of page 3)

• Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Prevent seepage into sewage system, workpits and cellars. Do not allow product to reach sewage system or any water course. Do not allow to enter sewers/surface or ground water.

### • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents.

### **Reference to other sections**

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## Section 7. Handling and storage

### • Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace. Wear personal protective equipment. Open and handle receptacle with care. Do not use air pressure to unload containers. Keep container tightly closed. Do not breath vapors or spray mist.

### • Information about protection against explosions and fires:

Use explosion proof equipment. Keep away from ignition sources. Do not smoke. Bond and ground containers. Although bonded and grounded, static electricity may accumulate. Use only non-sparking tools. Protect against electrostatic charges. Keep respiratory protective device available

### Advice on general occupational hygiene

Do not eat, drink, or smoke in areas where this product is being handled, stored, or processed. Workers should wash face and hands before eating, drinking or smoking. Remove protective clothing and equipment before entering eating areas.

## Conditions for safe storage, including any incompatibilities

Store in a segregated, approved area in accordance with local regulations. Store in secured area away from incompatable materials and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Material must be stored in original containers tightly closed and sealed. Store containers upright to prevent spillage. Do not store in unlabeled containers.

## Section 8. Exposure controls/personal protection

#### Additional information about design of technical systems Nofurther data; see item 7.

### Control parameters

### Components with limit values that require monitoring at the workplace:

This product does not contain any relevant quantities of materials with critical values that have to be montored at the workplace.

#### Additional information:

The lists that were valid during the creation were used as basis.

(Contd. on page 5)

acc. to OSHA HCS

Ariticle Number 114

Revision Number 3

Tradename: RPI Membrane Cleaner

Revision Date 02/27/2015

(Contd. of page 4)

#### **Exposure** controls

#### Personal protective equipment (see listings below) General protection and hygiene

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Store protective clothing separately.

#### • Breathing equipment:

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

• Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance and the preparation. Check with glove manufacturer for data regarding chemical resistance.

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and therefore has to be checked prior to the application.

#### • Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Safety glasses

Safety glasses with side shields should be worn. If splashes are likely to occur, wear goggles or a full face mask. Do not wear contace lenses. Eye wash stations and safety showers should be close to workstation.

• Skin and body protection:

Wear solvent resistant apron and boots. Material should be antistatic and flame resistant.

Information on basic physical and chemical properties						
eneral Information						
• Form:	Liquid					
• Color:	Colorless					
• Odor:	Sweet, pungent to hydrocarbon solvent					
<ul> <li>Odor Threshold:</li> </ul>	Not Determined					
• pH-value:	Not Available					
hange in condition						
• Melting point/Melting Range	Undetermined					
Boiling point/Boiling Range	128°C (262°F)					
• Flash point:	10°C (50°F)					
• Specific gravity:	.75					
Auto igniting:	Not determined					
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.					
Explosion limits	mixtures are possible.					

acc. to OSHA HCS Revision Number 3

Ariticle Number 114

Page 6/9 Revision Date 02/27/2015

Tradename: RPI Membrane Cleaner

(Contd. of page 5)

Information on basic physical and chemical properties				
Explosion limits				
Lower:	.6 Vol %			
Upper:	12.8 Vol %			
• Vapor density:	Not determined			
• Evaporation rate:	Not deterimined			
Partition coefficient				
(n-octanol/water: gravity:	Not determined			
(n-octanol/water: gravity:	Not determined			
• Solubility in / Miscibility with Water:	Not miscible or difficult to mix.			
Viscosity				
• Dynamic:	Not determined			
• Kinematic:	Not determined			
<ul> <li>Organic solvents:</li> </ul>	100%			
• VOC content:	6.20 LBS/GAL			
<b>Other information</b>	Weight per gallon: 6.24 LBS.			

Section 10. Stabilit	v and reactivity
----------------------	------------------

### Reactivity

\*

#### Chemical stability

- Thermal decomposition/conditions to be avoided: No decomposition if used according to specifications.
   Possibility of hazardous reactions:
- Possibility of nazaraous reactions: No dangerous reactions known.
   Conditions to avoid:
- Heat, open flames, and sparks. Keep away from direct sunlight. Do not allow vapor to accumulate in low or confined areas Do not pressurize, cut, weld, braze, drill, or grind on containers. Situations conducive to the build up of static electricity.
- Incompatible materials: Acids, alkalis, and oxidizing agents.
- Hazardous decomposition products: CARBON MONOXIDE, CARBON DIOXIDE, HYDROCARBON, AND OTHER ACRID PRODUCTS OF COMBUSTION.

## Section 11. Toxicological information

## Information on toxicological effects

- Acute toxicity
- Primary irritant effect
- on the skin: May irritate the eye.
- on the eye: May irritate the eye.
- Sensitization: No sensitizing effects known.

## acc. to OSHA HCS

Ariticle Number 114

Revision Number 3

Revision Date 02/27/2015

Tradename: RPI Membrane Cleaner

## Additional toxicological information:

### Carcinogenic catagories

#### IARC (International Agency for Reserarch on Cancer)

None of the ingredients is listed.

### NTP (National Toxicology Program)

None of the ingredients is listed.

### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## Section 12. Ecological information

#### **Toxicity**

## • Aquatic toxicity:

- No further relevent information available.
- *Persistance and degradability:* No further relevent information available.
- **Bioaccumulative potential:** No further relevent information available.
- *Mobility in soil:* No further relevent information available.
- Additional ecological information:
- *General notes: At present there are no ecotoxicological assessments.*

## Results of PBT and vPvB assessment

- *PBT*:
  - Not applicable.
- vPvB:

Not applicable.

## Other adverse effects

No further relevant informatio available.

## Section 13. Disposal considerations

### Waste treatment methods

#### • Recommendation:

The generation of waste should be avoided or minimized whenever and wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental and waste disposal legislation and all local, regional, and federal authority requirements. Dispose of surplus and non-recyclable products thru a licensed waste disposal contractor. Waste should not be allowed to enter streams, lakes, sewer systems, or other open waterways. Waste packaging should be recycled. This material and its containers that have not been cleaned or rinsed out may contain product residues or vapors that are highly flammable and may explode. Do not cut, weld, or grind used containers. Do not dispose with household garbage. Any contaminated cleaning materials used with this product must be properly disposed and treated as flammable materials unless they have been thoroughly washed and clean of any product or residue. Do not allow product to reach sewage system.

### Uncleaned packagings

• Recommendation: Disposal must be made in compliance with local, state, regional, and federal regulations.

(Contd. of page 6)

acc. to OSHA HCS Revision Number 3

Ravision Da

Ariticle Number 114

Tradename: RPI Membrane Cleaner

Revision Date 02/27/2015

(Contd. of page 7)

IIA	V-Number	
	DOT, ADR, IMDG, IATA	UN1993
UN	V proper shipping name	
•	DOT	Flammable liquids, n.o.s. (Solvent naphtha (petroleum), light aliph. (VM&P)
•	ADR	1993 Flammable liquids, n.o.s. (Solvent naphtha (petroleum), light aliph. (VM&P)
•	IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Solvent naphtha (petroleum), light aliph. (VM&P)
Tr	ansport hazard class(es)	
•	DOT	
	RAMMALE LICID	
٠	Class	3 Flammable liquids.
•	Label	3
	ADR, IMDG, IATA	
٠	Class	3 Flammable liquids.
•	Label	3
	cking group DOT, ADR, IMDG, IATA	Π
	Environmental hazards:	Not applicable
	Special precautions for user	Warning: Flammable Liquids
	Danger code (Kemler):	33
	EMS number:	<i>F-E</i> , <u><i>S-E</i></u>
	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable
	UN "Model Regulation"	UN1993, Flammable liquids, n.o.s. (Solvent naphtha (petroleum), light aliph. (VM&P), 3,II

## \* Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture • Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 9)

Page 8/9

Ariticle Number 114

Revision Number 3

· · D ( 02/27/2015

Tradename: RPI Membrane Cleaner

Revision Date 02/27/2015

(Contd. of page 8)

Page 9/9

•	TSCA	(Toxic	Substances	Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

### Proposition 65

### • Chemicals known to cause cancer:

Warning: This product contains a chemical(s) known to the state of California to cause cancer.

64742-89-8 Solvent naphtha (petroleum), light aliph. (VM&P)

#### • Chemicals known to cause reproductive toxicity:

Warning: This product contains a chemical(s) known to the state of California to cause birth defects or other reproductive harm.

64742-89-8 Solvent naphtha (petroleum), light aliph. (VM&P)

#### (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

#### Cancerogenity categories

• EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### • TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

#### • MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### National regulations:

*Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.* 

## Section 16. Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Roofing Products International, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Roofing Products International, Inc. or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- Department issuing SDS: Technical Services Department
- Creation Date: 03/28/2003
- **Date of preparation:** 02/27/2015
- Last revision: Format update
- Abbreviations and acronyms:
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  DOT: US Department of Transportation
  ACGIH: American Conference of Governmental Industrial Hygienists
  EINECS: European Inventory of Existing Commercial Chemical Substances
  ELINCS: European List of Notified Chemical Substances
  CAS: Chemical Abstracts Service (division of the American Chemical Society)
  NFPA: National Fire Protection Association (USA)
  HMIS: Hazardous Materials Identification System (USA)
  IMDG: International Maritime Code for Dangerous Drugs
  Flam. Liq. 2: Flammable liquids, Hazard Catagory 1

End of SDS